XEROX MICROFORMS SYSTEMS
University Microfilms
Ann Arbor, Michigan 48106
(313) 761-4700

LEONARDI PLUKENETII.

PHYTOGRAPHIA.

Sive

Stirpium Illustriorum, & minus cognitarum

ICONES.

TABULIS ÆNEIS.

Summâ diligentiâ elaboratæ;

Quarum unaquæq; Titulis descriptoriis ex Notis Suis propris, & Characteristicis desumptis insignitâ; ab aliis ejusdem Sortis facile discriminatur.

PARS PRIOR.

MEMINISSE JUVABIT.

Ἐμπειρον εἶναι συμβόλῳ ἰατροῦ τι διοῦτε κάντων φυτῶν. Gal. de Antid. et lib. 1. cap. 15.

LONDINI. MDCXCI.
SUMPTIBUS AUTORIS.

Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library

HONORATISSIMO

et.

ÆTERNVM REVERENDO

PRÆSULI ac DOMINO

DOMINO

HENRICO COMPTON

LONDINENSI EPISCOPO &c. &c. &c.

Omnium Botanophilorum MECÆNATI summè colendo.

LEONARDUS PLUKENETIUS

Has suas TABULAS PHYTOGRAPHICAS in priori Parte comprehensas.

Quòd

HUIUS FAVORE ut plurimùm Illustrantur, submissâ cum observantiâ, in devoti animi tesseram, gratæq; mentis symbolum, VOTIVAS reddit, jure meritoq.

Offert Dicat Consecrat.

Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library

LECTORI BENEVOLO.

Natura parcior sui studiosis conferendis, artis Vpuldrichidinis suæ sibi conscia perditura fructum sui, si amplum hunc terrarum Orbem solidum extolleret, ut desiderum contemplantis fertilissimum stirpum apparatum, quem in ipsa superficie subministrat nobilissima hac quam pedibus calcamus Terra, in nobis exstat, & conferuntur Novitate omnes nostros ad se allicit, dum indicis e corpe Asiæ Boreuisque, & e Promontibus prorsus incognitis in apricum produxit plantas. Quemadmodum etiam Europæ Insulæ Maurorum nostras non rite examinatæ Novas formas, Novas species, quotidie nobis suppeditant. Africa quoque, his nostris temporibus, monstra sua genuere non desipiendi sed Novi aliquid ex Plantarum genere, semper ab extremis partuerientes Africæ visa, nos adportabant. Nec hic Natura subsistit sed continuè Novas ex alieno Orbe, in lucem profert plantas. Novum, quotidie, ab Artis in solidum humani generis inventionibus. Vt pulcrè mihi Sancti nostri Botanici, qui (vt Cl. Raij verbis utar) nec Majorum inventis contenti, ad ulteriora tendunt, nec alios sibi inquisitionum terminos, Columnas figunt, quam quas Natura terris fixit, Universum Orbem curis suis complexi. Illi [illegible] nulli [illegible] ardori, opera, ac impiti parerem, quin tam indigenas, quam ex alienis oris inquirerem, atq; colligerem, quarum investigatio & ipsa Adolescentiæ nobis amentissimæ varietate se commendarit, fateor equidem Botanica, in omni ævo, meboris sub Quinquennium excolui, & in Arte medicinæ vel antiquissima est rebus, per simplices Herbas, morbos obiqueri, Hujus enim Cognitionem sub Quinquennium excolui, & in Arte medicinæ vel antiquissima est rebus, per simplices Herbas, morbos obiqueri, Hujus enim Cognitionem [illegible] Salomonis (regum omnium quos Sol unquam aspexit Sapientissimi) Alexandri magni, Mithridatis, Diocletiani, & aliorum denique exempla; Imperatores, & Reges non pauci, Heroes, Inclyti, Indagationem, & peritiam hujus Naturalis Philosophiæ, pretiosissimam judicarint, vnde Herbarie res colendo thesaurum, ephenie de humano genere merere, nec minus solidum, verum, modum inde, quam ex Triumphis, ad omnem Posteritatem, nomini suo libare posse. Hanc tanti fecerunt, & [illegible] ut ipsi Inventionem. Dijs dignam existimarint, & licet dubitare videantur, de primo eorum Inventore conveniant. [illegible] A vellitum illa prærogativa maximè prærominet his Poetæ verbis.

Invellum Medicina meum est, Opiferq; per Orbem
Dicor, et Herbarum subjecta potentia Nobis.

Adeo impossibile fuit adeo incredibile apud Antiquos ex ultimo hanc Herbarum Scientia, ut æquales conservabat gloria, Herbam invenisse? Etiam jure quis Quæsivit enim hujus: Secula contulerunt alij, nobis solis permansum, Studium hoc Botanicum necessarium esse Physicæ, & Medicinæ partem [illegible] mille, quam libetur, & Adolescentum condimentis gratiosum, & toti generi humano, utilitate quam maximè commendabilem: Dum [illegible] sophia fuit, et Nobilissimæ Botanicæ, Scientiæ, ultrius inservam, Plantarum aliquot Icones, non alibi ex professo perire gratiam, et enchiridia ad Plantarum ipsarum dimensiones naturales, proportione quidam, effigiare, & adumbrare. Et earum plures, compendij gratia, in unum Tabellam conjeci. Opus non minus varium, quam ipsa est Natura, ab Orientis & Occidentis Indiæ Montum, Sylvarum, Vallium, litorum & camporum, ab pes nativas, & alumnæ à nullo Classico Autore antea celebratæ, sed prorsus Novæ, & hactenus inauditæ, oculis vestris obversantur, singulis chain hujusmodi Novis plantis nomen Latinum, proprij, & genuinis Symbolis inaugulam accommodavimus, ut quæ rem ipsam aptè fatime notat, & clarior fore omnis mirum Cognitio simul & Cognatio, quam insuper disjunctiduos collationis, & similitudinis operiuler Congeneres, & similimus, iterabe inspectionis, & ex Plantis ipsis ex possum, adaptavimus, Nam hæc omnia ex diversis Insulis Orientis Congeneres, & similimus, iterabe inspectionis, & ex Plantis ipsis ex possum, adaptavimus, Nam hæc omnia ex diversis Insulis Orientis, ad Plantarum ipsarum dimensiones naturales, proportione quidam, effigiare, & adumbrare. Et earum plures, compendij gratia, in unum Tabellam conjeci. Opus non minus varium, quam ipsa est Natura, ab Orientis & Occidentis Indiæ Montum, Sylvarum, Vallium, litorum & camporum, ab pes nativas, & alumnæ à nullo Classico Autore antea celebratæ, sed prorsus Novæ, & hactenus inauditæ, oculis vestris obversantur, singulis chain hujusmodi Novis plantis nomen Latinum, proprij, & genuinis Symbolis inaugulam accommodavimus, ut quæ rem ipsam aptè fatime notat, & clarior fore omnis mirum Cognitio simul & Cognatio, quam insuper disjunctiduos collationis, & similitudinis operiuler Congeneres, & similimus, iterabe inspectionis, & ex Plantis ipsis ex possum, adaptavimus, Nam hæc omnia ex diversis Insulis Orientis, ad Nicandri Colophonia, qui ab agro rennebissima, rustica aggreds, non veritus; neq; ad Pamphilus, quem Spalmus reprehendit, dicere imus, non id Nicandri Colophonia, qui ab agro rennebissima, rustica aggreds, non veritus; neq; ad Pamphilus, quem Spalmus reprehendit, quod cum non comp ex erit, nic dum per Somnum evolvit, dehis lumen scripsit: Hos nobis subjicit contigit omnia, & omnium pro mentibus quod cum non comp ex erit, nic dum per Somnum evolvit, dehis lumen scripsit: Hos nobis subjicit contigit omnia, & omnium pro mentibus sunt, quos in Herbario nostro vivo imprescindum cum conspicere licet, ut aliq; permulta, & indulta habes, quas tuorum in prædentibus, quæ ab hiba, quæ Charke penuria, ut pro rum immodica deterreat impetus, neq; enim potest quisquam tertam cognitionem ibi arrogare? Prætabilium quæ nunquam aspexit. Benevolus interim Lector has Tabulas Phytographicas, impos sunqit omnia domiè Herbary vivi Catalogus, Plantarum circiter Octo millium comprehendens constituatur, sic dubito quin candidi Rei Herbariæ cultores non solum admirabuntur sint, sed grati recolent quidd tot incognitas (contingentis fere numerandus) in has Tabulis nostris duas in partes distributas, huic vim damus, & si quid, vel chain Diris tuditior in suum Novitate sua, se commendant; Tabulæ nostræ Phytographicæ, Novi Orbis, Novis (sic) nonsumè deterhs, & huiusq; modiis stirpibus, sunt refertissimæ, quibus amplum Ex scriptoribus campum damus, in quo plantas legere possunt, eaq; generali Plantarum Indis, seu Diuaci insperg, quæ in nostro Orbe jam diudum innotuerunt, ex quibus omnibus non desperavem, nos Botanophilis perplacuisse plurimas ab ipsis gratias promeruisse tum ob eaquæ jam præstitimus in hoc operemice edito, tum ob en, quæ præstituri sumus in Catalogo nostro brevi edendo, ut hac ratione, pobis mes amplissimè satisfactum iri arbitrarer. Alteris ergo Lector amice his nostris laboribus, quos tantum hoc operi impendimus, ac tirpes hasce peregrinas, rarissimas, & hactenus inauditas, quæ mihi excultæ? Innagnibus, Orbi pandunibus adpicias, & in omnibus vice hauriam Sapiendæ profundiatem, & Majestatem divinam in ipsis Condendis comperies; His nobis cum ad Dei gloriam, humq; ac cæterorum utilitatem, & oblectamentum parabis, fruere pro eho, & incolumis age; Vale.

Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library

INCLYTO HEROI

atq.

ILLUSTRISSIMO DOMINO

DOMINO

à BENTINGK.

COMITI de PORTLANDIA. &c. &c. &c.

φιλοβοτανῶν PATRONO longè Gratiosissimo.

LEONARDUS PLUKENETIUS

Hortorum amœnitates, ac adumbratam VEGETANTIS ORBIS Imaginem, Hisce TABULIS suis PHYTOGRAPHICIS in altera Parte contentis exhibitam, summâ cum humilitate.

Dat. Dicat. Dedicat.

Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library

APPENDIX

ad Rariorum Plantarum Icones

Ex LEONARDI PLUKENETII.

4 Ex Tapete Theodori Sculptoris incuriam, aut saltem nimiam in hoc opere festinantiam contigit, Icones Tab. 82. Fig. 5. inscriptam, alteri titulo exhibere; hapis ergo Synonyma hic subnectere libet ut suo loco reponantur Viz.

5 Arcana Hottentottorum: Lycium Africanum fructu croceo rubro. Parad. Bat. xv. Prodr. 149. Rhamnus Africana croceo fructu ejusd. P. B. P. 399

Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library

ALTERA

APPENDIX

ad Rariorum Plantarum Icones

Qua

Stirpes quasdam exoticas proponere nos placuit, quarum Exemplaria ex India Orientali humanissimus vir ac Chirurgus peritissimus D. Richard, Sambach misit amico suo D. Iacobo Petiver Pharmacopœo, Vt apud Londinates Botanico meritissimo: à quo demum ad delineandas æreisq; typis exprimendas accepimus: Vtis itaq; duobis cordatis viris grates agere de his debent qui studium Botanicum colunt

Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library

Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Fig. 1. Abies Pomum referens folijs ex omni parte prorumpentib. Abies folijs prolong. Pinum similans. Ray. Hist. an Picea minor C. B. P. Pinus maritima minor ejusd Cat. H. Ac. Lugd?
2. Absinth. minus odoratu Gonochicum. floribus Chamæmeli solitarijs, e foliorum alis.
3. Absinth. tenuifol. elegans ex Hispania; D.ni Tournefortij.
4. Acacia 5. Spinosa Wagæ Malabar. Semilis e Maderaspatan. lit. a fol. ad juncta magnitudinem denotat.
5. Acacia similis 5. Spinosa ramulis alternis Maderaspatana. an Nili camarum. H. Hyro hujus Synonymo Cassia Indica arborea Zeylon. penitus à Breyn. Prod. i. cum Nellikam ejusd. hunc magis convenire videatur.
6. Acacia quadamodo accedens. 3. Ceratia 5. Acacia media Jamaicensis spinosa bigeminatis folijs, floscullis stamin. atropurpuleis fructu, Siliquis parum intortis. lata flosculos, & siliquâ et fructum indigitant. Inquis Cat. Arbor Americanus spinosa siliquosa Par. Batav. Prodr.

Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Tab. II.

1. Acacia Indorum spat. spinosa Indiae accedens, cortice cinereo, ramulis communis pedicuto binis, a folium ad natural. dimensionem exprimit.

2. Acacia gloriosa Lentisci fol. spinos. flore spicato luteo. Siliqua magna muricata. Arbor exot. spinos. fol. Lentisci C.B.P. Iumboy Bras. Mateg. Bonduch Zanon Cordi. H.M. lit. a folium ad veram magnitud. cum aculeo curvim spectante. lit. b. lobum spatii ordinarii, armata indicat.

3. Acacia o spinosa minor e Quaracoa s. Curassavica fl. alb. odoroso forte Tehonxin Mexicanis. Hernand.

4. Acer virginianum folio majore subtus argenteo. supra viridi splendente. Acer floresc. Virginiana Pluk. Arbore hanc magnitudine & proceritate existimo in Hort. D. Joh. Tradescanti Lambethae ad Austrijam olim enutritum saepe comperavi, sed eam ibi nunquam floruisse a nemine memoratum audivimus.

Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Tab. III.

1. Ins Bauhidonis Lauri folij fructu longiorem, totidem membranulis extantibij alato.
2. Adianth. alb. floribus. Filicula pedata cirripa Ray Hist. Adianth. album crispi Alpini Schwenkfeld. Ill.
3. Adianth. folijs minutim in oblongum scissis pedicuis viridis C.B.P. Ad alb. tenuif. Ruta muraria accedens I.B.
4. Adianth. album flore d'i vitaria folio Peruvianum nostrum D. Ray Hist. App.
5. Adiant. radices, summa parte folioli pellicul. nostros Coriandri foliolis mollicelis globulifferum. Adiant. pedatum perpusillum. Indicis folijs bifid. vel trifid. Monteum Ray. Hist. forte Filicula saxatilis fol. Coriandri Mentz. pugil.
6. Adianth. radices crectus. folioli omis dissecti, caloris vero integris tenuissime crenati. forte Filicula saxatil. Coriandri folijs rotund. leviter serratis Montzel. pugil. Raior. Pl.

Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Tab. IV.
1. Adianthi minimi Clusiani, tenuiter divisum, pinnulis minimis, obtusis, plerumque bifidis Ray. Hist. app. an Filix. saxatilis crispa Park. Iter. 1. cauliculis ad inclinationem usque subdivisis denotat.
2. Adianthi nigri 5. Polypodium Clusianum latinervium Ray. Hist. app. an Lonchitis Marantha, scolopendrae ramosum Gaerund. Lob.
Is 5. Polypodium Clusius Hist. Lugd. quae secundum ulnaeque Bauhinus sunt unus & idem.
3. 5. Adianthi Clusiani pecilosum ramis sobre, isabelliferum cum subdivisione perpetua. Adianthum folio Coriandri ramosum Ray. Hist. app. hactenus Adianthorum species habuit. I. Rauw. ab exercitu Belgico & Pharmacopola Londinensis D.ni Jacobo Petiver sua praecipua ad laudem excolendum, nobis libenter concessit.
4. 5. Asplenium sub 1. Monsonis De Tunquin pinnulis angustioribus Clusianum filicis marinae aemulus. Sub Ovali bilobo crispum, filicum formis Europaeorum H. M. haud multum abludit.

Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Tab. V. Fig. 1. Acacia nobis, Inermis foliatis, Acacia brevioribus, Br. Prod. 1. Mimosa Amoris, Supium Velisi spondis exasperata, pinnis Acacia brevioribus; S. brevioribus, quinq. Prodr. 2.

Extrorsum; Acacia nobis è Mimosa mucronatores siliquis foliis perrarquis Maderaspatana. Acacia foliis minimis nostra. Ray. Hist. app.

3. Acacia nobis è Mimosa mucronatores siliquis foliis perrarquis Maderaspatana. Acacia foliis minimis nostra. Ray. Hist. app.

3. Alica Indica frutescit. folijs ad marginem exasperatis Bryonia albae dissimilis. è Sinis Bengalens. allata est nobis.

4. Alica spinosa Maderaspatana fol. profunde laciniatis. Cannabis minor pentaphyllon saporis acidi. in Acacia Indica Bauh. Hanc memorat Cl. vir V. Rheedius exoticar. Pl. explorator. V. Herman in Cat. Hac. Lugd. pag. 27.

Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Tab. VI.

1. Alsea Cretica flore monopetalo candens perampla in Hort. Medic. D. Morgan Londini sabur bona, iam olim exulta fuit.

2. Alsea acetosa folia nitri folijs superioribus Hieracij crispij in medium trispartita deissa. Alsinen Indica Cassipij folio Acetosa sapore CHAL.

3. Alsea Indica Illum folio pro grandiore subtus incana flore amplo purpureo, Alsine maxima 5ij. capsularis folijs integris subtus albicantibus, floribus maior. Banist. Cat. Virgin. apud Ray Histor. inferiora eium bijus folia sunt proximis integra superiora binis in laciniis ternas binis unifs. V. superi parte albicantia.

Alsen 5. Banis American parvo flore petalis cohaerentibus.

4. Anchusa Iutea minor C. B. P. I. B. Park. Item Symphytum angustifol. Apulum ejusd. Park. Anchus. echioid. luteo Cerinthes flore, montana. Col. ecphr.

Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Fig. 1. Alsine lud. fol. hastato fl. parvo, purpur. longo petiolo insedente. pericarp. compacto, duro in 5 sq. cellulis, lobidem semina includentes dispertito.

2. Althæa frutesc. lud. Prosert. Papyli albæ minores fol. brevioribus dentato mollis. an Althæa Americ. frutesc. Papuli alb. folijs Ser. Bat.

3. Alsine Corygophyllaid. trinervi fol. fl. albo punctato. an Mr. Corygophyllaid. tenuifol. moschata Lini flore Ray Hist. forte etiam Polygonum Corygophylli Mollastes flore Cat. H.B. Bles. Betonica, 1. Tunica minimæ similis Planta I. B.

4. Alsine palustris Ericæ folia Polygonoides, arbiculis crebrioribus, flore albo pulchello. Saxifraga palustr. Anglica Good. yeri Park. item Alsin. nodosa Germanic. quint. Park. Alsine nodosa Germanic. altera Bauhin. C.B. Arenaria I. B.

5. Alsine foemina pulchra trinervis, floribus albis vaporibus. Alsina palustris Portulacæ aquatic. similis. Ray. Hist. Alsin. palustris minima floribus albis, fructu Coriandri exiguo Acutz. pusil. Portulaca exigua, 1. arvensis Camerarij I.B.

6. Alsin. spuria pusilla repens folijs Saxifragæ aureis Ray Cat. Pl. Angl. Hujus nobitam Dochfs. nostro Raio debemus, proinde miratur nos quo casu in Colchestrum. Auctoris Hector. Universal. hæc plantula omissa fuit.

Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Tab. VIII. 1. Althæa frutex. folio acuto virente molli, flore speciosio, seu Althæa frutex. folio acuto flore magno Schol. Dodon.
Althæa profunde serrato. 2. dentato folio I. B. Althæa flore magnæ C. B. P. et fortassis eadem cum Altheræ arboreæ
Olitoræ Provincialis Adversa. Lob. Icon. Malon sylvestris peregrinis folio profunde laciniato V. dentato Moris. Hist.
2. Althæa frutex. Bryonia folio in omni flore minore Althæa species quibusdam arborem alterum, vel Bryoniæ folio I. B. Alth.
congnoverat Bryonia fol. Park. Alth. frutex. Bryonia folio; alein Alth. frutex. folio acuto parvo flore. C. B. P. Malva
frutex. folio acuto auriculato Hederæ instar Moris. Hist. Althæa Olitoræ bulbo pulsata.
3. Althæa fruticans Hispanic Æeris Monspeliaca incanis foliis grandiflora saponis odore. Alth. frutex. folio rotundiore in-
cano C. B. P. Alth. arborescens B. Alcea frutex. folio rotundiore incano Moris. Hist. Item Malva Hispan. foliis mollibus, uni-
dulcis in margine superiis mixta sulphureis ad solem lucentibus donatis ejusd Moris. Hist. quoad descriptionem,
et in Tabul. hisce Stirpis alterius Icon substituitur, Althæa Provincialis Tournefortii Adversa. ex sententia Dn. Rajj Hist. 603.

Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Sch. Bot.

Altheæ, sive malvæ, Bismarcica fruticosa floribus pallidè flavescentibus, cujus folia sunt ad caulem alterno posita, non per intervalla geminata; incisura, floribus quidem ut Anagallidis, non tamen cærulei, alioquin haud admodum diversa. Minus in caulibus et minimè vero à Convolvuli minimi specie Bismarcica.

1. Altheæ Indicæ latiore folio cordiformis, ad summum ramulum. Malva Indica fruticosa folio cordato P.B.P.
2. Altheæ crispata Cromonikicus Pimpinella major fol. subrotunda.
3. Altheæ fruticosa minor Gnnochica folys exiguis mbrque spinosis.
4. Altheæ Ind. floribus parvis folliculatis (forte fasciculatim) ramulis affixis Bryon. Prodr. 1. Malva Americana myrtoides folio, floribus, aureis fasciculatis parvis P. B. P. e Madrumpalon nobis allata est.
5. Altheæ Peruvianæ latius Pimpinella mas. nuhare folio, floribus minimis luteis. forte Alcea Mori folio Vir. omnium min. Sch. Bot.

Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



1. Amaranthus, alius Canaschus Salviæ magnitu folijs paniculâ conglomerata. an Amarant. Mexicanus Indicus
2. Amarant. hirsutus lanuginosus. Sanguineus folijs, spica albâ ad foliorum exortum gemellâ. an Amarant. Mexic.
3. Amarant. Verticillatus, minus Bengalens. Syrgill. folijs minimis.
4. Amarant. spicatus, Dictamnus Cretica folio Malcinspatrafia.
5. Ambrosia maxima modica Marcuby aquatic folijs tenuiter laciniatis Virginiana.
6. Ambrosia (sperian) è China Anguerie folijs acuteus. à Dno Petiver recepi.

Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Fig. 1. Amygdalus, [illegible] folij, per [illegible] decoratis vasipi, an Anum alterum [illegible] Cat. B.P. Amus dulcis.
Species [illegible] folia à [illegible] [illegible] nihil multum obliterant.
2 Amomum Verum Econgyiensis [illegible] fructu sparsim erumpentibus, Amomum Dioscoridis [illegible] Ray Hist.
3 Amygdalus Indica minor Cat. H.R. Paris. Amygdalus, pumila Cat. H.R. Bles.
4 Amygdalus persica nana flore carneo pleno Africana. Persica Malus Africana nana flore incarnato pleno Cat. H. Ac. Lugd. hanc rotundum a floribus omnibus denotat.

Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



1. Impatiens parte II M. Aliter hirsuta, caulibus fractis umbilicatis, rotundis, & crassis, maculatis, diversis. Ray Hist.
2. Iva non Spiræum fruticosum folio & caule rore cerulco tinctis. Fecula fruticosa semipervirens folijs Anus vallamperea, ex quâ Vallamum Officinarum. P.B.P.
3. Aulliffli. Alsine marciana hirsutior. Anthylloides, folijs tomentosis Bauhinorum.
4. Anthericum purpureum multicaule, folijs tomentosis, suavium reflexis, floribus sparsis, calyce spinulis asperato.

Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Tab. XIII.

1. Apocynum Canadense maximum flore minimo herbaceo CATHARBIes. idem Apocyn. Virginianum flore herbaceo, siliquâ longissimâ, & tenuissimâ Morison. Prælud. Botan.

2. Arbor Aristolochiæ folijs Moderaspatana fructu parvo, Mosluco adnatis involuto. an Gummi Elemi fundens Arbor Orientalis?

3. Arbor baccifera Orientalis, folio chamboide, fructu calyculato. Cassia Cinnamomea s. Canella domato Linschot part 2. Ind. Orient.

4. Arbor è Coromandel nucifera folijs amplis Myrtinites rigidioribus, nostra Ray. Hist.

Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Tab. XIV.

1. Arbuscula Reinealonis, Acoris minore folio incano alternatim pasito.
2. Arbuscula è Madeirensibus folijs Acoris alternè sive lucide virentibus.
3. Arbuscula Zeylanica Acoris folio bacifera, foliis è directo, minus annulosis.
4. Arbuscula Bisnagarica Acoris folio parvo acuteato, foliis è ceniione binis
5. Arbor aromatica è Coromandel Zuerim: foliis binis terminis nostra D. Ray Hist.
6. Arbor Pumifera, aphorismus saponaria; fructus teleophylla, ex Ind. Orient. in Saponaria Arbor Zeylanica — hispida semine aquilis: Coochas Zeylanensib; P. B. C.
7. Arbor Americanus frutescens Salicaria folijs scabris floribus amplis, saturate Violaceis.

Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



1. Artemisia Chinensis, cum molliore Mesa dictus, forte Ptarmicopsis Mesue. Herculad. an Artemisia Verminosa Park?
2. Arctolochia Dalla feminea folijs crenatis, cum radice Serpentaria dictus.
3. Asarum è Terra Mariana Vulgo Indum vel Asarum folijs Serpentaria mora Nostrabis, dictus.
4. Asparagus aculeatus minor, sarmentosus è Madagascar.
5. Asparagus sylvestris aculeatus major spinis plurimis ab eodem exercta pro folijs teres. an Asparagus aculeatus Tenuifolius Ray Hist. an Spina umbella folijs vestita C. B. Pr. Dryopis Theophrasti. Anguillaria I. B.
6. Alter exoticus Hyposcyridis folio minore nostro D. Ray Hist. app.
7. Alter Africanus Stoechados maderiæ folijs minus flore albicante. Alter Apice Stoechad. folio noster Ray H. app.
8. Alter Bonsalensis omnium minimus summo saude hysoporus.



1. Aster luteus Lepidi, Aster folys crenatis, & mundissime crenatis. an Aster luteus folio alabro serrato C.B.P. ubi Synonyma huic Plantæ à Cæsp. Paudin. male sunt appropriata.
2. Aster perennis Cretæ folio non serrato flore magno luteo. an Aster odoratus flore luteo stellato exoticus ad Pol. a Sonc folis Aster Conyzoides luteus perennis Icon Robech.
3. Aster luteus folio Cotthoni Chrysanthemi folio floribus umbellatis. Iacobæa Cotthon. litoreo folys Catal. H.R. Par. Iacobæa foetida Cotthon Chrysanth. facie Bruniyers. Cat. H. Iong. Iacob. Rosmar. fol. Quarand.
4. Atriplex marithima Mauritanica frutescens, Polygoni folys acuentis racemosis Atrip. maric. Mauritan. fol. Polygon. acutis racemis angulis folio rotundis, nostra D. Ray Hist. append.

Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



1 Bellis montana incana Serrata folijs Serrata obtusa. an Bellis montana folio obtuse crenato C.B. Pin 135 Bock Bellis ejusdem folio crassio et collino Sch. Bat. nobis pondus pro mentula desiderante
2 Bellis Americana procerior tenellina ramosa pore amplissimo Cat H.R. Lugd. an Bellis radice repente, folijs latioribus, serratis Cat H.R. Par. post Italiam et Nov. Hispan. Hernand? Bellis Indica maxima C.B. de Pal hort
3 Bellis montana folijs Coronopi laciniis denticulatis carnosibus Sonnatu exsiccatis; an Bellis Alpina folijs pinnatis obtusis Sch. Bat? Bellis Lancaliensis C. Bauhini? prodromus folijs profunde incisis: Ray syn. Prodr. 3 Bellis montana folijs Chrysanthemi D.ni Magnol cuiusd. Botryn. 1688 Bellis chrysanthemi tenpemfolio D.ni Hans Sloan. Ray Hist.
4 Bellis pumila crenata Aspeni amula, tenui, incornibus asperiuscules. Bellis maritima folijs Asperuli C.B. Pin. Dr.
5 Bellis montana Tanacetifolia; caule unifloro nunna Chamamelo affine Buphthalmum Italicum tenetum alijsque J.B.
6 Bellis Alpina Ptarmicae folijs etiaber.

Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library





Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Chrysanthemum Anglicum, sive Boreale Pl. Pl. Lineis coloris variis ac mania prominentibus, et alibi purpureis. Park. 1. ed. 1. ed. 1. ed



TAB. XXII.

1 Chrysanth. Scrophulariæ folio. Americanum

2 Chrysanth. Camadensium Virginianum laciniatum deos mirè pulchè succis radiatis circumsaepth folio sedo laciniatur omnq; ambone magni cant. D. Robertson in Ingoldsby Camadensium Americanum flore aureo Coll. Hort. Reg. Bres. lit. A. A. summum ramulum cum floribus ornatum denotant.

3 Chrysanthemum Virginianum flore albo Coll. Hort. Lugd. elim. edit.

4 Chrysanthe Sinensis folio planiusculo dorsis Malacaich percorum armatis, flore, et multifidis, radiis, nonnihil fimbriatis Pyrenaicum Coll. Hort. Lugd. Chrys. Camadensium Americanum, radice, vel omnino dentibus laciniatis folio: Sinensis Breyn. Prodrom. 2. Chinis ad D. Breyn. allata est hac diversae plantae, et ab illo nobis amicissimè communicata.

Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library

TAB. XXIII.



Tab. XXIII

1 Campanula ipsibalarine folio Park. Campanula ipsibalar. folio et folio hederaceo C.B. Campanul. folio hederaceo species Cantabrica Argaillium J.B.

2 Cicer. Astragalides folio Germanicum, hirsutum pubescens floribus amplis, rubro albis, an Cicer montan. lanuginosum erectum C.B. P. Astragalus Cat. Steph. Virgin.

3 Cistus Americanus, chamaemyrsinites folio, caule lato, ferula rubicunda intentus, marginibus pilosis.

4 Cistus chamaerhododendros folio, caule lato, ferula rubicunda intentus, marginibus pilosis.

5 Cistus Helianthemum, ovatus folio latiore, flore albo vel luteo. Helianthem. Alpin. folio. Ho. Alter minor. Tuchny J.B. ex sententia D. Ray. Hist.

6 Cistus Helianthemum folio lanceolato, flore luteo, caule ad dem cubiti pulchro, folio candido, flore luteo, caule J.B. ex mente ipsius Ray. Hist.

7 Cistus humilis, Alpinus, duorum folio rotundo, folio cordato, chamaecisti montani, folio folio vestis D. Ray. Synopsis Stirp.

Brit. an Chamaecist. folio Myrti Garetton, comis 3 cubitalis J.B.

8 Cistus Helianthemum folio planta Maderensis planta, flore albo ex albo, an citrino dens cubiti helianthemi folio Maderensis planta.

Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Tab. XXIV.

1 Clinopodium secundum incisifolia; fl. amplis luteis, punctis purpureis. Clinopod. Virginianum incisis flore luteo Cat. Hort. L. Lugd. Nicanum floribus amplis luteis purpure maculatis, caule caulis sub quibus Verticillo decem vel duodecim. folioles nitentibus et circumcinctus. D. Boerat. Cat. Stirp. Virgin.

2 Cuspidata schedulata cuspa. D. Dendy. Ray Hist. App.

3 Convolvulus annuus folio nostrae cum auriculis. an Convolv. arvensis minus; D. Pent. Ray. Synops. Stirp. Brit.

4 Convolvulus marinus. s. Soldanella & Maderaspatana; folio in summitate truncato an Convolv. marit. Zeylanic; folio cordiformi Cat. H. L. Lugd. Bontemburi Zeylan.

5 Convol. marinus; minore folio Chamaeleae. an Sicria Alexandri. s. Convol. maximus Bruxellens. Pison.

6 Convolvulus minor Polydoli e Caramantel umbilicatis folijs crassis nominatus, villosus. an Pada-Valli, s. Pada Kelengi sive Mucheon-Pada H. M. P. et forte ad Begonia genus, potiori iure relegandus.

Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Tab. XXV.

1. Convolvulus Americanus; sub Tabyiræ nomine receptus an Convolvul; Colubrinus Piso? Cunjeba s. Convolvul. Brasil. Ilau; flore octopetalo monoecias Ray. Histor.

2. Convolvul. s. Volubilis Americ. Bryoniæ minor nervosis fol. basendis seminiferis, triquetris. Melcine fruticosus Bryoniæ minor folio, capsulis triquetris amplis, geranoeniis. D. Barrist. Cat. stirp. Virgin. an Capreolata Bryoniæ nigræ folio minor folio, capsulis Marcgrav.

Brasilicus tuberosus Marcgrav. 3. Convolvulo similis Bryoniæ albæ folio villosis. ex India Orientali. an Nehaweela H. M. P. 8. Tab. 19? Horc. Malabar. pro synonymo Bryoniæ Zeylan. folio profunde laciniatis Cat. H. Ac. Lugd. à Cl. Commelino ponitur. Annot. in loc.

4. Convolvulo similis villosa, folio crassis, subrotundis. à Madrespatan.

Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



TABVLA

1 Corallina latifolia: Spuma marina Cortusi. Fucus folio rotundo C.B. Sertularia lapsoralis. Scutellaria; Spuma marina J.B.

2 Corallina filiformis fragilis, viridis, prælongae, brevibus albis, Turcarum modo catenatis. Corallina filiformis fragilis J.B.

3 Cornus Sorgomana floribus plurimis albidis ex involucro tetrapetala rubro compositis. P. Alpinus Cat. Amp. Veg. apud P. Belg. in

4 Amomum Dragonoides Malagarica fructu parvo, florum calyce muricato. an Mucca Peri. H.M.P. 8

5. Cuscuta ramis Arborum amaecens Cortusi. Cuscuta filamentis lanugine tectis. Musci Cuscutarum

6. Cuscuta lanuginosa lanuginosa circulus e Terra Mexicana. Cuscuta Americana super arbores se diffundens. Ray Hist. App.

7. Cytisus Americanus flore luteo spicato, folio supra hirsutibus, glabris, subtus lanugine argentatis.

Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Tab. XVII.

1 2 Echium officinarum Germanica frutex. Cat. H. de Lugd. App. Anchusa officinarum Germanica fruticescens Pinad. Bat. Prod. Quinquina s. Acor amara & Febrifuga quibusd. Calis & Pastinac inuicupata.

2 Echium officinarum Germanum folio, cum polio chenopodij olauge. Senecio fuliginosus Germanica Alsophcia folio Ray Hist. & app.

3 Ephemerum Sericeum corpus folio subrotunde breui plantagineo an Ephemerum Africanum minus flore depetalo Cat. H. de Lugd.

Dipetalos Germanica folij scutellatae, aut Ambrosia Marcgr. Ray Hist. forte chami scutellatella Indica. Pouty. p. 154.

4 Ephemerum Phalangioides Madagascariensis minimum folij perangusti perpetuum, forte Acacia non a. Potamogeiton Mexicana 2. Hernandi. Planta paludosa & lentiquae stationis comprimentibus, & cestat digitis. hic eham perhibet Tabi pistis. H. M. Pg. 653. p. 123.

5 Euphrasia dulcis Italiae paludosa. Ray Hist. an Cristo galli officinis planta Romana. 1. Crista galli major Italica. J. B. quaerit & apte Crudeliff. Raij. ibi. inscrib.

Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Tab. XXVIII.

1. Euphrasia officinalis, flore albo, folio crenato. Dr. Hatchinsonii Rep. 1. 3.
2. Euphrasia pratensis, minor purpurea. Park. Cicuta major. C. B. Pinax. Raj. Synopsis. 30. non excepta Fab. Col. ecphr.
3. Cuscuta Epithymoides, minutis, non crenis.
4. Cuscuta Epithymoides, floribus pentapetalis, seminibus reticulatis, corolla incisa, squamulis conflata, filiformibus, innatum ferulaceo phe. Grisley Vitis d'Losil. Athanasia. Linn. mal. 9. Gisley, Shoe dwel. Gillow. Sh. Athanasia in Academia Cantabrigiensi. Hedysarum perfoliatum, flore minore, nonnulis cocci, rotundum indoin à Dlohanne Frillmard. Cornu v. Hedysarum perfoliatum, flore minore, nonnulis cocci, rotundum indoin à Dlohanne Frillmard. Admirabilis. Hoc cum a aspic. collection. Sedines transmarinum. oblium
5. Eryngium, spinosum, rotundifol. cap. ab. circum. circumdat bullatis. Barrist. Cat. Shep. Virg. Herba cum ad natural. monstrat. demonstrant.
6. Eryngium, spinosum, folio Carolinum. Sancta parvis flos umbellatis. b. b. summa ad aequalem dimensionem significant. Species omnis indicavim Rhamnus catharticus (ut fallor) hae plantae, Spinae Gravina Barbadensibus nostra alibus nominabar.

Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



1. Tuna. Melocactus mammillaris; alabra [illegible] an Echinocactus minor [illegible] [illegible] Lob. icon. 2. Tuna. Melocactus minor [illegible] [illegible] an Echinocactus [illegible] Lob. icon. 3. Tuna. Americana sticcus [illegible] folijs [illegible] canaliculatis, circum spinis [illegible] horridus. Ray Hist. Jamaicensis primus. Pison. Hist. [illegible] planta pomifera arundinacea Park. Theatr. 4. Equisetum. Hippuris lacustris folijs minoribus longioribus. Cornut. Ray. Hist. Hippuris coralloides fore ernse 5. Tuna. Cornuadhensis baccifera. Moh. [illegible] folijs amplexicaulibus, under Ray Hist. 329. 6. Tuna. Cornuadhensis. Alatum folio spineus. Tuna. dulcedinis [illegible] folio under Ray Hist. 7. Tuna. Bermagorius spinosus. Coryph folijs [illegible] spinis horridus erectis.

Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Tab. XXXII.

1. Gramen, humilioribus Adpressis, tenuioribus, sed pomiferis nihil necessitatis; ex omnibus Botanicis Stirpe, Bobart Hort. Antheuniae Cum Aspect. communicatione vel Herbario nostro servatur.

2. Gramen pomiferum, spicis pressioribus Aquatorum seruum Schol. Bot. Lugd. a D. Gallichio Mercurialis congenere, cuticula tenuis, folijs ad radices, et quinquinervium, aequalibus pomulis cum sed capillaribus; sicut etiam pectiquam ait, sed pone capsulis brevioribus



TAB. XXXIII.

1. Gramen spica simplici minus C. & P. I. B. Park.
2. Gramen spicis à nodorum prodeuntibus, ex Cathalogo plantarum Raij Hist. sub ex. Tordylo dulcis similis, C. & P.
3. Gramen magnum, ex Cathalogo Raij ex Cathalogo, quod Hemgeterij Rit. &c. ex Cap. mus et capitali Asparagi Anthoni I. B.
4. Gramen spicis bifariam, et pungendo, deinde non ex spicis pluribus, sed unus, vel spicis, & flos, C. & P. Aparbum spicatum pungens Dioscoridis I. B.
5. Gramen Parkinsoni, spicis Hordei, et aliorum, et aliorum prodeuntes, sub ex. Indicum quadrum. Raij Hist.
6. Gramen, Lepturus, nostrum ex colore granulis, spicas cum petiolis longissimis prominentibus, et secundum ordinem spicis laxis pyramidalis Raij Hist.
7. Gramen hirsutum, spicis longissimis, duplicis, ex paniculum hirsutum, spicis pur pureis, et gentes mollis nolitae Raij Hist. Inducit, necessitate nominandis ex principium spicis, multiplicis, sed distinctis propriis, et collectione diversis quod est B. Samuel Dodart. Hat rosacrucinus ex Rei Herbaria Collectionibus.
8. Sc. Aphanum magni minus Raij Hist. sub ex. Anglica Anacicum minus Park. quoad ex spic Clavis Ratius.
9. ex parvum prorex spicis laxis, congestis Raij Cat. H. Angl.
10. ex panicula brevior minus panicula arista unum partem, spicatulis, Raij Hist.

Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Tab. XXXV.

1. qui proprius charactonymum, 2. Helcetrum palustre repens folijs cordatis, & serratis, Apilly Rose Sowerye. Thing Lord. & Hist. à R. recondita Dero D. Matthaeo Lobelio with Trionely publicatur recordationis, & Johanne cum numero respondendo pedunculo nobis prouisus edendatur.

2. qui proximus L'Helcetrum minimum palustre cordatis quinque lonzitudine, dentatis Rose Tyrus Thing. Bc. & Hist.

3. quantum Ranunculus aquatilis sub albicantis folijs latis sinuatis, Flos albus, quantum Cassiunur. Tarad. Bat. Tood. ipsum folijs latius

4. BP. quatenus ranunculus Chas. ad Monspelium ipsum. Serenity apud Hieronimo z.

5. quantum Sanicula folijs sectis minus conditus, quamvis sint nobis, flore albicantes, sed quantum folijs Crocodilium, Aaria. Bursae pastoris fructus, fructus cordatus Dioscor. Dodo. 2.

6. quidem ipsum Sanicula composita folijs superioribus, Rubor quasi ipsius crenatis, omnia Coniinchs modo tamquam diversa.

Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



TAB. XXXIX

1. Carduus [illegible] Scrutio fol. [illegible] indivisis pungentibus capitulis spinis [illegible] Ex capitulis squamis spinulis plures pulchro croceae stellam diversifoliam referentes
[illegible] dicuntur hirsutiles aurantiae quarum minima contexit laniorem longiore revolutis
2. Idem minor scilicet gallicus folliis [illegible] acutis squamis capitulis [illegible] spinis magnis unico solitos acutos suos in ventre
3. Idem minor [illegible] ad pharum marginem, spinulis [illegible]
4. Idem unus, [illegible] capitulis plurimis ex squamis squamularum spinis [illegible] singulis [illegible] positis ac hortensis. [illegible] Ranunculi [illegible]
5. Idem Dr. George Wheler [illegible] Carduus [illegible]
6. Carduus [illegible] folia [illegible] [illegible] flore ex [illegible] [illegible] [illegible]



Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Tab. XLI.

1. Galeopsis Albus Dioscoridis folio his geminus. Galeopsis Dioscoridis flore Herbs. Pitbad. Bot. 278. Galeopsis Dioscoridis folio Ic. Roberti, sed hujus Icon mutilata est, an igitur Galeopsis Albus vero flores folio oblongo minus. Edit. II. R.P. 40. Galeopsis Dioscoridis folio Bonapartis longiori Hist. 162.
2. Galeopsis pratensis rubrum. Dioscoridis folio Dioscoridium. an Galeopsis Herba Dioscoridis folio Ray Hist. 160.
3. Galeopsis minus folio profunde incisso Ray Hist. 160.
4. Galeopsis Dioscoridis flore purpureo, cum lutea, habitu purpureo. Cannab. spuria flor. spariseo luteo, albo purpureo Ray Hist. 160. an cannabis spuria Park. 1129. 1130. in Herbis autoribus folio inventis album C.B.P. 232. quando ex ipsa J. B. Raius.
5. Galeopsis Bonapartis. Stachys pratensis Roberti folio oblongo arborescens. Marrubium Hispanicum Hernandi hisce proximus videtur.
6. Galeopsis Bonapartis folio Roberti Icon. Dr. Morgan Maximum Hernandi hisce proximus videtur.
7. Galeopsis palustris Roberti folio subcordiformi hirsutissimis capillamentis ad imum barbatis.

Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Tab. XLIII.

1. Lychnis minima Cretica flore purpureo, Raii Hist. Stellaria alsinoides Boerh. minimum vulgaris. Ray Hist.
2. Lychnis [illegible] Raii Hist. Lychnis flore purpureo, fructu in D. Vaillant accipitrum.
3. Lychnis [illegible] Raii Hist. Lychnis flore albo quatuor in singulis genitalibus cruciatim amplexantibus flore simplici fimbriato. Raii Hist. Supp. 380.
4. Lychnis Sexpartitione Virginea, Graecis [illegible] Herbarium. p. 20.
5. Lychnis [illegible] Raii Hist. Lychnis [illegible] Alpin. ex ed. huiusce specimen.
6. Lychnis [illegible] Raii Hist. Lychnis [illegible] in [illegible] quasi in [illegible] Lychnis [illegible] Lychnis [illegible] Lychnis



Tab. XLIIII.

1. Agrimonia non papposa Malifolia Hederæ angulosior, seu Malachio genus aliquid quinq; capsularis
2. Malum Tinctorum flos e Corolla pavoa
3. Malo-rotundifolia stab-a ex Hispania flore simple rubello
4. Malo-stellata Hispanica flore bimulatim. Scholdilla folijs flos. amipl. rubente. Mora terrestrel hunsel. marshm. Stello-prominentes fol.
5. Malo-stellata Americana hirsuta. Flore bimulatim. Scholdilla folijs flos. amipl. rubente. Mora terrestrel hunsel. marshm. Stello-prominentes fol. superiorib; minoribl sed Spinosum. modentib; Sirk. Bot
6. Malo-Oriental. elatior longior fol. ff. alb. minorem, capitula conglomerata. in Malo-fructus. Malachia inquiete fol. floreb; alb. fauciculatim concrete. Dra. Bot. Prods. intis adderida.
7. Mandrin. Malo-inopinate folijs fœniculij, parvis hirsutis, glabritie splendentib; ad Sinculum dessinis stipatis.
8. Mussina polypetalodes elatior folijs conquatis pellucidis in fore membranaceis mollis Bay. Synopsis. Sherp. Bot.

Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Tab. XIV.

1. Marrubium aquaticum a superiori folio tenuius dissecto Mouris. Prohiad. foris Marrub. palustre hirsut. tenuius laciniatum C.B. Pin. 9. in Prodr.
nisi quod tamen folia sunt omnino glabra.
2. Marrub. sylvestre foliis non dissectis folium ovi speciei, in prolongatos barbulatos retusiusculos, brevissime serratos, brevissimis pedicellis in ultimibus ramulis, ex Alippo
per hiemem longius perducto inscriptum hort. Elect. Heidelberg.
3. Marrubium Africanum, dictum cunilis, foliorum folijs Absinthij, sapore Lamiorum.
4. Melissa hirta, Indica, Orientalis, erecta, folijs cordatis, pedicellis retusis, spica florum ex foliorum alis multiplicata.
5. Melissa Indica, humilior, erecta, floribus, in capitula coloratis collectis, spicis florum ex multiplicata, spicilum denticulis strictis, Dandadi, pulla Hort. Malab. P. 9.
6. Melissa hirsutior Bapkiri, gentis Orientalis, ex Ray. Hist. Stachys sylvestris.
7. Mentha polyphyllos hirsutior folijs lanceolatis, dentatis, Adorathum non non lachniflos fol. latis mbrot Ray Hist. ex Mouris Tabularum fuse Sempervirens folijs
utrinque sericeo-hirsutis, ex Alldorf.
8. Melissa Lind. minima pratensis, folijs minoribus crenatis ex Malbis. Mastranzo pratensis folijs crenatis vagina radiling. spica florum brevioris, Ray Hist.
ex Parvis.

Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Tab. XLVI.

1. Mespilus arbor sic dicta Persica destituta spinis, fructu magno rubro Virginiana, an Mespilus Virginiana colore nitida C.B.P. hujus folia aliquando variant in inferiore parte ad folia Aronis rotundat. sic H. de Ashlaf. Nat. S. Sorbi Hortend. propter apparentiam hoc in magnitudine Aronis, dum maximus hujus folium ad 8 uncias aequabat.
2. Mespilus Prunifolia Virginiana, non aculeata fructu nigricante. Chrysomelon Virginianum Prunifolio fructu magno, spinosum compressum Botan. Cat. Shop. Virginian. Mespilus 1. Sive Sorbi terminalis Virginiana folio latiore, fructu magno Sch. Botan. fructu dulcis Mespilus spinosa a Virginia. Virginian magna C.B. H.A. a calore aliquando magnitudine spinarum, y spinosis diversimo spina operata, et insuetis in Sorbis et Aronia fertilis. Theophrasti Sativa, mannitis, non sine matris vaginam spinosam sive inchoat primordia e pappum, b. ramulum fructu anulatum exprimit.
3. Mespilus Virginiana Apyfolio bidpiso, aculeis magnis geminis, duas spinis.
4. Mespil. Apyfolia Virginiana, quae hortis fructu simplo crescit. Mespilus Apyfolia Indica Sch. Bot. Mespil. spinosa e Virginia maxima Virginiana Cat. H.A.L. Crataegus Spinulis binis fructu magno nitente Bonet. Cat. Shop. Virg. Crataegus America folia colore dicta R.S. Mur. R.S. Stat. Aspa Arbor Spina Cuspidum minus, spina Arbor sub Spina Sanctis per a ramos dies exhibet. Id. a Sanctum cum mulier carnalium f. b. spinulis denominabant.

Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



TAB. XLVII.

1. Muscus [illegible] Raj. Syn. Bot. 255.
2. Muscus [illegible] Bot. append.
3. Muscus [illegible] CB. pin. 356. Muscus [illegible] CB. pin. 356. Muscus marinus
4. Muscus [illegible]
5. Muscus [illegible] Muscus terrestris [illegible] CB. pin. 356. Muscus terrestris [illegible] Icon. sed sequa a non pluvia.
6. Muscus [illegible] Bot. Lob. Icon. sed sequa a non pluvia.
7. Muscus [illegible] CBP. Raj. Historia [illegible] Bot.
8. Muscus [illegible] Raj. Hist. Bot.
9. Muscus [illegible] Raj. Hist.
10. Muscus [illegible] Raj. Hist.
11. Muscus [illegible] Raj. Hist.
12. Muscus [illegible] Raj. Hist.
13. Muscus [illegible] Raj. Hist.
14. Muscus [illegible] Raj. Hist.
15. Muscus [illegible] Raj. Hist.
16. Muscus [illegible] Raj. Hist.
17. Muscus [illegible] CBP. Raj. Hist.
18. Muscus marinus [illegible] Raj. Hist.
19. Muscus marinus [illegible] Raj. Hist.
20. Muscus [illegible] Raj. Hist.
21. Muscus marinus [illegible] Raj. Syn. 255.

Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Tab. XLVIII.

1. 1. Muscus aureus capillaceus ebulbis inferioribus foliis alternis ovatis S. Dendroides aureus. Graminifolia pulchra rupinis. Musculus granorum Rupestris aureus. Ray. Hist. ex Synopsi.

2. Muscus pedicis, parvulis, ad ductum ramulis, numerosis, mollis, foliis ex spongiosis, ex Muscis marinis, rubris ramulis nostrates. Ray Hist. idem Muscus marinus, pinnatus, parvus, pulchre ramosus, mollis, sed distinctus. Raiad. Hist.

3. Muscus marinus, denticulis minoribus ramulis in transversum expansis, ex Muscis marinis denticulis minoribus denudatis alternis Ray Hist.

4. Muscus marinus pinnatus albicans nitere ramosus, ramulis ramulis pennatis. Muscus marinus pennatus tenuissimus Lonicer. Ind. Stirp. p. 6. (ex alius albus Tabern. Icon. ind. Stirpes minus) ebulb. Muscus Equisetifolius, ramosissimus, brevioribus CBP.

5. Muscus marinus major arcuatus denudatus Ray Hist. Muscus circulatus aber ebulb. Jun. gen. 2. Mus marinus Clus. Hist. Mus. ex alis marinus CBP.

6. Muscus marinus, levidus, informis, pappo, ovatum albus, Tabernae marinus ex alis albus, pinnatus. Muscus marinus I quid formis non ramosus Ray. Hist.

7. Muscus Sempervirens ex pappo Melanthapium minus nigrum, folio pappo inserto, I Studio appinus.

8. Muscus Dendroides nodosus efficacis, basis ternus, fructifer. Abb. Longius adpressus Fungi Salina, regalis, lentis, serratis Ray. Hist. an figur. serratis edens Pomarii Bot. Jon. Bod. h. Stirpi. in Theopir. p. 133. ex longitu quoq. nobis allata est a b. Motrekh, Insulam Bermudensem, vegetabus figuras colorida, bulbo vegetaque, ad Kirsch. hoc Studio Hortus. Bidarium.

9. Muscus Dendroides similis Cypresso minus, basis fructu rotundo, sessili monospermo, fructum fert Insula Guadare condiffi. inquisitum, ex ramulis quos Fungis ad per Mutagaspum appareil oliveopiper. Hujus pulchra Dendgeneris, ex praeterea visus, Indagatrix Americani genuris, reconsiderata, Insulatis brevi, D. Guidius Gleditsius, compar factus eius.

Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



TAB. XLIX.

1, 2. Mimosa polytrichoides angustifolia pallescens ramosissima nostra Ray. Synops. Stirp. Brit.

2. Nyra Hort. Malab. similis ? Madecappatina Arbor rad. Scratior fol. Coriandrum.

3. Nir Schult. Hort. Malab. nostra ? Coromandel. Gentiolo affinis Indica Coromandel. Digitalis arinda. sibi hera nihilominus spinisz. nominum figura Mangantha, ut litera a. b. cc. denotant.

4. Ornantha aquatica. Ranunculus Sceleratus diversus a. nostro. Ornantha Stapelijnis folio aliquotiens accedens VB. Ornantha Pastinacæ Sylvestris folio ramosa Atropatena CBH.

5. Dodecatheis Bermudiana, Menzesiæ affinis, aliquos ad unum solummodo latus dentatis, ne alia polyanthes.

Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library

TAB. LI.



Tab. LI.
1. Alsine Tamariscine non spinosa humilis folio minutissimo filabellæ forma. Ampmaw Mahbar. haid akrmik
2. Pimpinella maximus purpureus. radice brevis folijs rotundis, sibrotundis. Bunogonium Plinianum Hordeo Renovat. alias Nathl. Meritanum. Lotus. tipendi. H. Malab p. 9
3. Plantago Orientalis Incognitis folio oblongis sulcatis glabris.
4. Phaseolus minimus Malabaricus floribus purpureis. Mundulli Malab. adhuc ignotus. hucusque pertinet Vitis Salamonis Maximus Arvensis Hist. 950.
5. Parongulum imperatis Dioscorea folijs indivisis. Nakarkum imperatis inapidum. Branch. Est. Sirp. Virgin. n. B. Bohet. omnifariam communicatum fuit Hugus cyclinus signo valuere ex mysteriis.

Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Tab. LII.

1. Dentilaga herba magna & Madragoratora folijs lactucæ cor gentiles.
2. Plantaginis parvus, spicatus Alchemilla gramineus ex Alii & thymo folijs, siliqua utriculata nigra.
3. Plantaginis minor Monogynus folijs angustis cubes Villosis, siliquis brevis brevibus, spadices hirsuta pubescens fructu parvus sitrarbaiside nigro. ex Plantij Lugdun Solanum folijs subrotundis multifi. & hirsutis Prunel. Bat Prude. similitudo, Plantilla Lugdun folijs Salicis utrinque omnino collinati ejusd P.B.P.
4. Plantaginis Monogynus folijs oblongis, hirsutis radice crassiori Plantilis parvus Mechanus radicibus nodosis angulosis ex modo folio P.B.P. nasturtij, sive Turnepsi & bunias
5. Plantilis aquatica, Fructu Sphaerophorus sparsus, fructu Durch, nigris & cinerus parvis, elegantis quilibet P.B.P.
6. Alsinella minima, Geophalij nostrum lineis folijs, flore aurei, viridiori distripta
7. Polygonum minus prostrum, minus, minus, foris folium ex spat. Polygonum minus rotundum rupestrum Botin. Monspel. Polygala repens nivea CB P. Polygala repens Monspeliensis Ob. & le Lob.

Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Tab. LIV.

1. Sylphium Malabaricum, Ferula Malabarica, Laserpitium Indicum, Bunias Indica, Ammi Indicum, Carum Indicum, Umbella fructu magno, Rai Hist. 1. 1. 1.
2. Polypodium Virginianum, magnitudine fol. Serpentariæ dictum, Plantula in Cypro, ex potiori Compendium Polypodii, angustis rotundis foliis Virginicum, Plantula de Cypro. Polypodium Virginianum. Ramulus, ubi fructificationes ad Polypodium Virginianum, Ray Hist. Plantarum Europæ, numerantur, depositis Col. Th. A. L. Polypodium, in vicho quodammodo nidulans, in pilulis Chemopodii, ex Austria ad Danubium, sub fine Junii Decem. Prodr. 2.
3. Zygonia Virginiana, Lupinus folio, Ray Hist. append.
4. Zygonia Trifolii folium, ex folio, simpliciter indivisibile, an Zygonia alba Virginiana Park.
5. Zygonia Virginiana rubra, Lotus marinus, Mr. Sherard Oxf. nostrates, Sickle, in Hortis Completonianis, hujus plurimum ad delectandos Arbores, ubi ornamentum.

Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Tab. LV.

1. Ranunculus hirsutus silvatus flore minimo Ray Hist. & Synops. Method. Shrp. Bril.

2. Ranunculus aquatilis, folio crenato, tenuissime divisus folio floridi, & alia longiore pedunculo erecto. Nobis Ray Synops. Millefolium aquaticum serratum C. B. Prod. Millefolium aquaticum serratum minus Pinck.

quod figuram 181. sub quadrifoliorum, dum floribus C. B. Prod. Millefolium aquaticum serratum minus Pinck.

3. Ranunculus bulbosus folio, & flore Anemones, sylvestris accedit.

4. Bupleurum folio Gallium Bauhin. 5. Bupleurum folio Scorzonerae, cujus Gallica Bauhin. 6. Bupleurum folio Gallium Bauhin. 7. Bupleurum folio Scorzonerae, cujus Gallica Bauhin.

8. Ruta Mathiolo folio latiore, cujus Gallica Bauhin. 9. Ruta folio crenato, cujus Gallica Bauhin.

10. Ranunculus aquatilis, folio latiore, cujus Gallica Bauhin. 11. Ranunculus aquatilis, folio crenato, cujus Gallica Bauhin.

12. Ranunculus aquatilis, folio crenato, cujus Gallica Bauhin. 13. Ranunculus aquatilis, folio crenato, cujus Gallica Bauhin.

14. Ranunculus aquatilis, folio crenato, cujus Gallica Bauhin. 15. Ranunculus aquatilis, folio crenato, cujus Gallica Bauhin.



Tab. LVI.

1. Rhus Oxycantha similis Mauritanicus, ignotus condidum fundamentum constituit folorum ratio, modo alata. Habet hirsutissimum, spinosus folia. Raij Hist. Plant.
Dr. Sherp Virg. Hisp. hanc ait Cyrillum, dicebat. Ferunt eorum nonnullis symptoma, hanc forte prodiit dicebat, quum Cynosbatum hostium Europaeus.
Dioquam plagis indigenum ejus continuo ferunt Vid. Hand. Gaggi rogh.
2. Ramus Tadeus folorum bifidus, Hist. quinquifida, flavidis ubi purpureis, floribus aggregatis Hampcheel Hanoomas. L. 2. cap. Neuw
Hispanae Herrenbuetta. Hist. Mexic. an Ramus Inopinatus folia Staphisagriae C. B. Pin. 299.
3. Euphorbia Alinus angustas folia Radice nude Spinis foliorum, hordeum hanc rectum ob Euphorbiarum breville indiscr. ob rerum
Petrarcae Dorothy dubiamus, ideoque modo hic loco collocatur. ad Euphrasius obligandus est
4. Suaveolens Pimpinella Sakuafera Bergbaemus orbor, duplicata folia serratis flavibus, sunt propterea, hebet pentaphyllus hispanica florribus spontis mere
pinella Mat. Gerthman Raij Hist. hujus ex omplex, cum multis adpreciatis, et inarguibus J. Gulielmus Cornbut. hanc recipiens.
5. Salix longiores folia hirsuta, rectior.

Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Tab. LX.

1. Genista [illegible] Malcomi stirpis a Tragopogoni [illegible] glabra a foliorum proventu inter folioru[illegible] exortum duporrecta: ab Abbate Vorlingij Obs. in Aspin. Genista Orientalis Tragopogonis [illegible] Hort. At Lugd. Genista sive velaris splendidum pravis includit aliquis Clarum [illegible] Lugd. Batav. a semina [illegible] fructi.
2. Genista stirpis [illegible] Non congenij hirsutus a Malcomi aspectu [illegible] flavo. [illegible] pro [illegible] [illegible] [illegible]

Tab. LXI.

1. Sium album minimum, per eum glaciatum crescens, Dr. Simon Gradual, circulus hic agricolis vocitatur, gradiola Bauhin. Cat. Mss.
2. Sium latifolium Bar. rudiores flores, pedunculis et in alto nascitur, nisi sit Plantagineae quercumdum.
3. Sium minimum umbellatum folijs longis. Sium minimum Ray Hist. Sium minimum foeniculaceis folijs Morison. Pulicaria.
4. Sesili Medicinae vocitis Ital. Herba angelica minor quinquefolia dicuntur.
5. Sesili, sub arundo fibra nostra ac longissima spinulis et in fastigium arcus ex superiore aut Sesilibus super subrotunda folia C.B.P. Ptarella aut Menophanis, Ray Hist. Menophis, quae nascitur, in Anglia.

Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Tab. LXII.

1. Solanum [illegible] Dr. Pitteveri [illegible]

2. Solanum [illegible] Hollandicum [illegible]

3. Solanum [illegible] Radicantibus Raij Hist. [illegible] Solanum [illegible] Raij Hist. [illegible] profunde lacinatis, quinis multis longioribus, magnitudine [illegible] Raij Hist. [illegible] quinquefid. F. B. P.

4. Sonchus aquatilis folio [illegible] u oblongo folio nostri [illegible] u Pirola

5. Sonchus angustifolius non [illegible] C. B. Pin. [illegible] u in Pirola

Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



TAB. LXIII.

1. [illegible] Hort. Oxon. [illegible] Raii Syn. [illegible] Hort. Amst. [illegible] Raii Hist. [illegible] Hort. Reg. [illegible] Hort. Hamb. [illegible] Hort. Malab. [illegible] Stoechas [illegible] Hort. Reg. [illegible] Stoechas [illegible] Stoechas [illegible] Stoechas



Tab. LXIV.

1. Stachys angustifolia, Sphondylium vi crata, Stachys Cretica, B.P. Stach. 2. Betonica Stachys Cretica Pin.
2. Stachys officinalis minus folio, Panicum ex flos floribus ac flavo, pallide rubro, in spicam ordinatis, calamo galli. Monspelie. Sideritis angustifolia Hermanni Hist. Mexic.
3. Sideritis Cretica folio Panicum ex flos floribus ac flavo, pallide rubro, in spicam ordinatis, calamo galli. Monspelie. Sideritis angustifolia Hermanni Hist. Mexic.
4. Dorstenia Radix Hist.
5. Sideritis minus folio angustiori ibus ac rotundior ibus. Anthemis Bicnagoria.
6. Sideritis minor folio angustiori ibus ac rotundior ibus. Anthemis Bicnagoria.

Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



1. Trifolium siliquis laetis affine siliquis Ornithopodij Trifolium siliquis Ornithopodij notissimum Raij Synops. p. 1. H.R.
2. Trifolium siliquis laetis affine siliquis Ornithopodij notissimum Raij Synops. p. 1. H.R.
3. Trifolium pratense folio non lemniscato Burnagarium, sive Trifolium Bituminosum, genus Indica Orientalis.
4. Trifolium Carolinianum polyspermum procumbens, magnis singulis Hirsutum, Virginian. Sive Mispalo cichor. Quakwill Mariscennibus Hrenandes.
5. Trifolium Carolinianum polyspermum procumbens, magnis singulis Hirsutum, Virginian. Sive Mispalo cichor. Quakwill Mariscennibus Hrenandes.
Hort. Ind. 1. Florum et seminum conservatur.
4. Trifolium bituminosum Laurinum folio, aureis foliis aureis foliis rarere, ovalis, lineatis, combustum in Laurus. Trifolium laurus rubellis Corno ovato inclusis. Bauhin. Cat. Laurus Trifolium folio subtus et cinis, ustus gentes purpurantibus Raij Hist. Cl. 1. Laurus Corno capsulata per lunas filamentum appensis extensis.

Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Tab. LXXI.

1. Filix mas latior & maximus; cum illis, qui e radice folia ab ambitu lineis circulisve stratis. Vulgo Sylvestris maior & maximus Phytol. Brit. Ray.
2. Filix mas latior, lineis circulisve notata. Mass. Hist. 2.
Synops. Hist. Filix generatim multifida & spinosa magis. Filix lævis albis, lineis circulisve notata. Mass. Hist. 2.
3. Filix Lathyrinis moschata. Lathyrus Dioscoridis Raji Hist. & Synops. Lathyrus in circulos & radices moschus Morvel. Pin.

Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Tab. LXXII. 1. Vicia multiflora major annua, Spica cubita, pro, flos obscure ruber, vix Vicia Onobrychidis flore C.B.P.
Vicia multiflora major annua, Spica cubita, flos ex albo purpureus Raii Hist. & Mi Exim. sed forsitan in Aravis minor Lusitanica Park.
sed Vicia vix ratione minus flora, & Bauhiny sive conde dry.
Legumen pallidis fili, oppositum Bauhiny Brandomy sive conde dry.
2. Vicia multiflora cuspidata fructus semine, nigrum Bi cyan. Prodr. & Cill. Hort. Ac. Lugd.

Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



TAB. LXXIX.

1. Lotus Anglicus, siliquis longissimis angulatis innumeris brachiatis et calycibus florum et foliorum conjugatis positis non et [illegible] quia ab illo Mons. Tournef. pendens planissime ex eis quæ [illegible] ...
2. Lotus Anglicus siliquis Mon. et Ar. album et asperiores foliis et flores quam palatis et flavis.
3. Lotus Anglicus minimus foliis et siliquis brevibus plurimis et floribus ex albo et pallidè luteis, habitu et [illegible] Ray Hist. Plant. Anglicæ C. et Lyc. [illegible] Mons. Tournefortii Aquila C. et Lyc. [illegible] ...
4. Lotus Anglicus brevissimus et magis ramosus quam præcedens, calycibus [illegible] ...
5. Lotus Anglicus flavissimus et [illegible] Ray Hist. Plant. Anglicæ C. et Lyc. [illegible] ...
6. Lotus Anglicus [illegible] flavis albis et [illegible] ...

Celeberrimo Botanico D. Bauhero, in Angliam [illegible]

Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



TAB. LXXX.

1. Bellis minor Capitatum Angeanum, vel Nonsense fortidum. Arbuscula Americana Bellidis folio, flore pendulo, &c. cujus dimensio
[illegible]
2. Bellis minor Capitatum Angeanum, vel Nonsense fortidum. Arbuscula Americana Bellidis folio, flore pendulo, &c. cujus dimensio
[illegible]
3. Brunella Hispanica C. B. P. Brunella minor folio rigidiori tenuiori, apud Phytog. Brunella angustifolia B.
Kalx. Synopsis 187.
4. Brunella Hispanica C. B. P. Brunella minor folio rigidiori tenuiori, apud Phytog. Brunella angustifolia B. Ex Indiam Rem. mdcix. D. Q. Stonesteed spicis
[illegible]
5. Bupleurum Plantaginis folio Dioscoridis. Bupleurum minus folio oblongo, obtuso, dilatato, hirsuto, Dodo. Prodromus ad Epidemiam Rem. mdcix. D. Q. Stonesteed spicis
[illegible]
6. Bupleurum Plantaginis folio Dioscoridis. Bupleurum minus folio oblongo, obtuso, dilatato, hirsuto, Dodo. Prodromus ad Epidemiam Rem. mdcix. D. Q. Stonesteed spicis
[illegible]
7. Bupleurum Plantaginis folio Dioscoridis. Bupleurum minus folio oblongo, obtuso, dilatato, hirsuto, Dodo. Prodromus ad Epidemiam Rem. mdcix. D. Q. Stonesteed spicis
[illegible]
nonnullas Bupleuri species in Hortis D. D. Prior Hortis Regio Hamptoniensis collegimus.
1. Buxus Affinis, vulgaris folio, &c. ex D. D. Prior Hortis Regio Hamptoniensis collegimus.
2. Buxus Lanceolata folio, &c. Buxus folio lanceolato, acuto, &c. Americana.
3. Buxus Lanceolata folio, &c. Buxus folio lanceolato, acuto, &c. Americana alba folio subtus sericeo, longiores, & minimus nodosus, superiores annuos, ex Horto Hamptoniensis collegimus.

Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Tab. LXXXI.

1. Cynosclitis Tamariscus, sive ros canicanis, Cardilla alba Clusij. Laurifolia Magellanica scilicet aceri C.B.P. Costus Hortorum [illegible]
Cardilla alba I.B. an Lagni ex arenatis Monardi cortex.
2. Carduus Tangolanus, flore purpureo, an idem folia Alli ampliori deinde à subtus incana, spinis duricibus horridis.
3. Cynoglossum, folijs ex albo lanuginosis, omnibus glabris, ex hoc flores omnes calyce hirsuto, brevi, quinquefido, in quatuor alas, Synopsis, app. forte
Cynoglossum glabrum, secundo flore nomine C.B.P. an Cynoglossum Mexicanum purpureo flore rubello, et calyce oblonge longiusculo Rauij. cat. Eluenter.
4. Centaurium album, aliquo nomine, Bizinnagar, secundi, cujus folijs amplioribus, floribus in Umbellis.
5. Chamaedrys, folia Scordii, sed minus crenata, Cynoglossum Tamariscus. hius fortè potius Bryoniae, et Tormentil. Jacobi, quinquenervis Maximus, sive Hippuratus.

Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Tab. LXXXIV. Algon. Bellidis foliis ovato lanceolatis, chrysanth. parvum. Bellis latior parvo dulcifolia B. Hist. 3. Chrys. Apodro Bellidis folio ciel II Bit. & Tuce.
1. Chrysanth. Alpinum Bellis trifolio vulgatissimum.
2. Chrysanth. Annuum Bellis latioribus obtusis foliis, pappo nullo, annuum. Chrys. compositis radiis coeruleis, flosculis luteis, foliis ex ovato oblongis, dentatis, non ut alia, foliis, Bauhinus Bergius Tournefort. 1.
3. Chrysanth. Annuum Bellis latioribus obtusis foliis, pappo nullo, annuum. Chrys. compositis radiis coeruleis, flosculis luteis, foliis ex ovato oblongis, dentatis, non ut alia, foliis, Bauhinus Bergius Tournefort. 1.
4. Chrysanth. Alpinum Bellis trifolio vulgatissimum.
5. Chrysanth. Annuum Bellis latioribus obtusis foliis, pappo nullo, annuum. Chrys. compositis radiis coeruleis, flosculis luteis, foliis ex ovato oblongis, dentatis, non ut alia, foliis, Bauhinus Bergius Tournefort. 1.
6. Chrysanth. Annuum Bellis latioribus obtusis foliis, pappo nullo, annuum. Chrys. compositis radiis coeruleis, flosculis luteis, foliis ex ovato oblongis, dentatis, non ut alia, foliis, Bauhinus Bergius Tournefort. 1.
7. Chrysanth. Alpinum Bellis trifolio vulgatissimum.
8. Chrysanth. Alpinum Bellis trifolio vulgatissimum.
9. Chrysanth. Alpinum Bellis trifolio vulgatissimum.

Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Tab. LXXXVIII.

1. Cupalus vulgaris, Ger. emac. 1033. Tragoselinum, Dod. pem. 74. Fr. Tragoselinum, Lob. ic. 1.



Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library

Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Tab. XCV.

1 [illegible] Hampleniorum.
2 [illegible] Hampleniorum.
3 [illegible] Hampleniorum.
4 [illegible] P.B.T. 164.
5 Sakra - Teddali (forte) Malabarica, ex Pratt. manuscr. 1181. p. 61. t. 7. vide Indicus spinosus, floribus viridibus, spinis subulatis, foliis planis, obtusis, brevis Raj. Hist.
6 [illegible] ex Herb. D. Edw. Morgan. Jam olim ex accessum accepi.

Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



TAB. CIV. [illegible]

Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library

Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Tab. CIX.
1. Sinecio minor repens, foemina, vel angustifolia, diffusa, P. B. P. Barr. Icon. Hort. Malab. P. 2.
2. Solidago aliqua, e Sesamum indicum, foliis modorum, vel Malabarum, Virginiam non angustifolia, Bergen. Prod. 2. forsitan, vel Cassia, Jussieu.
3. Senecio Americanus, maximus, folio Dentariae, serratis, P. B. P. apud Adenol. Herbalis Virginian. non angustifolia, Bergen. Prod. 2.
Rudbeckia Nov. Hisp. Rauh 155. hasce omnes attulit, vel Nov. Hisp. quid. pag. 63.
Rudbeckia Hort. Mal. P. 2. Rudbeckia Nilens. 2. Bidens, minor, Malabarensibus, Sesamum, Malabarum, folio simplicinerio, flore majore, semine angulato, Annua, in Hort. Malab.
4. Sesamum alterum, folio trifido, Orientale, semine nigro, in Cat. Lb. Hort. Mal. P. 2. Rudbeckia Nilens. 2. Bidens, minor, Malabarensibus, Sesamum, Malabarum, folio simplicinerio, flore majore, semine angulato, Annua, in Hort. Malab.

Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Tab. CXII.

1. Stemma Immersum, alatum, Flosculorum Herpes folia Sol. Bolan. Jacobæa Aromic. maxim. Dioscor. s. Virga Pastoris folio P. B. P. an Sonnio Cidorum folio Dorycnium, Flore inflexum, odore Pastinacæ Cat. Mss. H. Oxon.
2. Solda. Buckthorne stem equis mutabilis ut rerum, Cirsiis folio mollis, se ensiformis sed Malabaricum Cordifolium, Stemmeq; folio mollis, subbirsutis.
P. B. P. Malum equum, Arum equinum magnum folio Populi nigri minimum, sed rotundum, flore ex alio violaceo. Bergen. Prode. 2.
3. Spongia lacunosa, alba, ex Mare, aqua, in aqua, sine folio, sed Populi nigri minimum, sed rotundum, flore ex alio violaceo. Bergen. Prode. 2.
4. Spongia lacunosa, fuscescens, ex Mare, aqua, in aqua, sine folio, sed Populi nigri minimum, sed rotundum, flore ex alio violaceo. Bergen. Prode. 2.
5. Spongia Dubia, ex Virginia, Mare, in aqua, sine folio, sed rotunda, flore ex alio violaceo. C. H. Popelinsky, D. Dudley.
Hyoscyamus scandens, semper viridis, Black Thistle. Prodr. Apocynum Mayni folium Virginianum. Banist. Cat. Stirp. Virg.
6. Tabaqueda Cordifolia, Solanum Aethiopicum, folio horrido, viridi, virescente, P. B. P. Nilhymalia Indica, Solanum Aethiopicum folio Bergen. Prode. 2.

Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Tab. CXIII.

1. Alsinanoli me tangere, Cordofolia, angustifolia, incertiora; in Tithymalos, Sinaloe, ephyrnes, Portulacas fabile Bauh. 29 Tithym. hortensis Ileanitis Anth. II. Phytolog. 932.
2. Tithymalus, annuus, Indicus, floribus albis, caudiculis brevibus obliquis P. B. P.
3. Tithymalus Africanus Cyparissias folio, floribus albis, ex ipso re bramus radium ordo ad summa. Thymel. Cnicifolia similis Africanus floribus pallidis ordo ad summa P. B. P.
4. Trifolium stellatum alpinum flos, minus. Trifol. capitulis Digitatis quorundam Raj. Synops.
5. Trifolium purpureum, floribus purpureis, R. Syn. Hudson. in Trifol. parvum rectum flore glomerato ad summum quinchi
6. Trifolium purpureum cum glomerulis adnatum sedentibus bindatis floribus purpureis, R. Syn. Hudson. in Trifol. parvum rectum flore glomerato ad summum quinchi
7. Trifolium cochleatum medicinale spinosum Raj. Synopsis. Hosp. Berlin.
8. Trifolium stipulatum Lobe affine Madrepatum, stipulis longis, re adverso binis proponendis.



Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Tab. CXV.
1. Lini folia hirsuta non serrata flores, pentapetalis albis in spicam disposita.
2. Gnidum Spinifolium, cum in marginem gypsum Bohemum demersi.
3. Asperugo Virginiana Anchusæ folia et odorem, sed duplo ampliores, sapidum, et ad forma Myosotidis accedens, gerens: ostis forma Myosotidis nostis. Hort. Reich. 388.
4. Chrysanthemum Indicum Chrysanthemi Europæ in omnibus, sed minus folia et corolla et ostis.
5. Lycopsis Virginiana Asperuginis folia semper hirsuta, cum ipsis dilatatis et acutis inter asperitates subnatis.
6. Perwinka Americana serratis folia, quinque petalis, et duplo majoribus.
7. Nymphæa cum minis Anagallidis flos duos caudices, polyphylla. 1. Dracontij similis ex Americana quadam.

Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



TAB. CXVI.

1. Hieracium magnum, Hieracium Park. Dens Leonis folius cauliferum C. B. Pin in Prodr. Herba Pyramidum, Blattaria folio minus hirsutum, Cat. Bot. [illegible]
2. Lobelia [illegible] C. B. P. Anglicis [illegible] Cat. H. Pa. Lunge apo Mondeus Herb. Mat. Med. [illegible]
3. Malabarica Malabar erum, Marjoramum [illegible] Cat. H. R. P. & S. W. [illegible]
4. Thymus angustifolius C. B. P. Mat. [illegible] Cat. H. R. P. & S. W. [illegible]
5. Thymus angustifolius longifolius, Calamintha [illegible] Cat. H. R. P. & S. W. [illegible]
6. Dryopteris Americana [illegible]
7. Fungus [illegible] Cat. Shop. Dorg. MS.



Tab. CXVII.

1 Fucoides i. Alnus vulgaris Matthiolo. Hieronymo Fabricio Aquapendente Alnus fructu ex ipso ligno prodeuntes, ut Matthiolus, Hieronymus Fabricius, Aquapendente Alnus fructus ex ipsis ramis



Tab. CXVIII.
1. Alsine, sive gnidia foliis Maderaspatani, folijs laberdinis, semijs in minutissima nigra abeuntibus Hacapelli Nov. Hisp. Rheedij.
2. Amaranthus spicis longis conadiformis & spiratis foliis Maderaspatana.
3. Anthericum affinis parvilla planta folijs scabris Maderaspatana.
4. Cardiosperma; Coriaria; Hypericum folijs Maderaspatanis flavescentibus ad radicem, unica tantum bacculla in axillis cum cymis.
5. Chrysanthemum Maderaspatanum, Matricariae; folio superflorib. brigmellia ad folia cum alas, pedunculis carnis.
6. Tithymalus boteroides, cordatis foliis Indiae Occidentalis.

Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Tab. CXIX.

1 Gramen annuum, folium ex imo pinnatum, pinnis pauciis, ovatis, obtusis, quibus postis folium magnitudine, ultimum ut in Vagina complectunturi, reliquum in ut in tertiam ferme longitudinem marginibus erisipatum

2 Gram. Cynosuroides Malabaricum, Indicis Cynosuroides, Dentatis gracile

3 Lycopodium affinis Sabinæ folio Malabaricum, caule in summitate ferum bifido

4 Melampyro affinis Indica Malabarica, Pedicularis Indicis Hort Malab. P. 5. Synopsis Plantarum foliis linearibus, floribus Herbar. Vivi. Verum Cihgalensibus Kathu Karuhu, Grittham Hippomane Bada Schulli Hort Malab. p. 12. Gentiana pusilla spicata Cornutti in Nahr.

5 Pyxidium Lycopodii annuum, pyramidale, ubique fere formibus, Malabaricum

6 Pyxidium Lycopodii annuum, pyramidale, ubique fere formibus, Malabaricum

7 Junci species Indicum, depilata, ubique ad diametrum pedunculi bimi. Cyperus Verus foliis Hort Malab. P. 9.

Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library



Fig. 1. Mimosa pennis Madreapo, pinnulis tenuissimis, ad fibrarum more diuaricatis spinulis obsitis.
2. Palmyra Zeylanica Madreapolon, Palmæ folio, folioli folij inuersum.
3. Perdicium afinis folij ovoides Madrefolio, flos folio, fructus Madreapolonus.
4. Rhamnus prickly blue, cubus rectus Madreapolon.
5. Rosa Alba, ad folia alba, inuersa Madreapolonus.
6. Rhamnus Germanicus folio ovato, flos Madreapolon, in Herba, flos in pennis hylsea Gaspi Mich Nuiy. catal.
7. Trifolium Madreapolon, ex ala folium pendens, flos flos ter gemeus in folio ibidem, in Cem. Lorenzo Mexicanus, Hernand. 439. Apis Americana ex phytologia Dodo.
8. Viola turrenta Madreapolonus Lotus folio, rotundis ordinibus imis folijs.

Early English Books Online, Copyright © 2019 ProQuest LLC
Images reproduced by courtesy of The Huntington Library